

Sydney Technical High School



Mathematics - Extension One HSC Assessment Task 1 December 2012

Name Teacher


General Instructions

- Working Time – 70 minutes.
- Write using a blue or black pen.
- Approved calculators may be used.
- All necessary working should be shown for every question.
- Begin each question on a fresh sheet of paper.

Total marks (55)

- Attempt Questions 1-11.
- Marks indicated are a guide.
- All answers must be written in your answer book



4.



O is the centre of the circle.
 AB is a diameter.
 BE is a tangent to the circle.
 Find the value of x .

- (A) 40
- (B) 50
- (C) 60
- (D) 70

5. In the circles below, diameter $PQ =$ diameter MN .
 In diagram I, PRQ is an arc of a circle centre S .



In which diagram is the greater area shaded?


- A. Diagram I
- B. Diagram II
- C. The shaded areas in both diagrams are the same.
- D. Cannot be determined from the information provided.

Question 6-11

Question 6 (7 Marks)

a) Find the value of x . (reason required)


2



b) Over 7 years \$125 grows to \$164.49.

2

Find the compound interest rate as a percentage per annum.



c)

In the diagram the points A, B and C lie on the circle and AB produced meets the tangent from C at the point P .

(i) Given that $PC = 12\text{cm}$, $AB = 7\text{cm}$ and $PB = x$, find x . (reason not required)

2

(ii) PC is the diameter of the circle passing through P, B and C .

Find the length of BC . (in exact form)


1

a) A gardener plants a bed of roses. The bed is planted so that the first row has 24 rose plants. The second row has 29 rose plants. Each succeeding row has 5 more rose plants than the previous row.

(i) Calculate the number of roses in the eighth row. 1

(ii) Which row would be the first to contain more than 150 rose plants? 2

(iii) The gardener has planted 2895 roses. Assuming that the above pattern has been continued, how many rows were planted? 2



b) The diagram shows a circle. The points P, Q, R and S lie on the circumference of the circle. Find the value of x ? (reasons required)

3


- a) With the drought ever worsening, James and Theodore design a counting generator that can simulate the number of rain drops per minute that fall over a river during a storm. The rain drops falling per minute forms the series

$$1 + 1 + 3 + 9 + 23 + \dots$$

with the n th term given by the formula $R_n = 1 - 2n + 2^n$, where n represents the number of minutes.

- (i) Which term of the series is 115? 1
- (ii) Find the total amount of rain drops which fall over the river in the first twenty five minutes. 3
- (iii) If the surface area of the river is 250m^2 find the average number of drops over the per cm^2 first twenty five minutes. (to the nearest drop) 1

b)




GF is a tangent to the circle at E and ABCD is a cyclic quadrilateral

$$\angle FEC = x^\circ$$

Prove $DC \parallel GF$

3




PQ is a chord of the parabola $x^2 = 8y$ passing through the point $A(0, 1)$ where P is $(4p, 2p^2)$ and Q is $(4q, 2q^2)$.

The tangents to the parabola at P and Q meet at the point T .

R is a point on the chord PQ with $RT \perp PQ$.

- a) Show the equation of the tangent at P is given by $y - px + 2p^2 = 0$ and write the equation of the tangent at Q . 3
- b) Show the co-ordinates of the point T are $x = 2(p+q), y = 2pq$ 2
- c) Show that the equation of the chord PQ is given by $2y = (p+q)x - 4pq$ 2
- d) Show that $pq = -\frac{1}{2}$ 1
- e) Find the equation of RT 1

a)



Copy or trace this diagram onto your Answer booklet.

Let $\angle CDB = x$

Prove BCEF is a cyclic quadrilateral.

O is the centre of the circle. (reasons required)

3

b) Prove by mathematical induction that the following is true for all positive integers n.

$$\sum_{r=1}^n r(2^r) = (n-1) \cdot 2^{n+1} + 2$$

5

Question 11 (10 marks)

Start a new page

- a) The sum of the first n terms of a series is given by $S_n = \frac{n}{3}(n+1)(n+2)$.
- i) Show that the n th term is given by $T_n = n(n+1)$. 2
 - ii) Find the sum of the second 50 terms. 2
- b) Stella sets up a prize fund with a single investment of \$1000 to provide her school with an annual prize of \$72.00. The fund accrues interest at a rate of 6% per annum, compounded annually. The first prize is awarded one year after the investment is set up.
- i) Calculate the balance in the fund at the beginning of the second year, after the first prize has been awarded. 1
 - ii) Let B_n be the balance in the fund at the end of n years (after the n th Prize has been awarded and while funds are still available).
Show that $B_n = 1200 - 200(1.06)^n$ 2
 - iii) At the end of the tenth year (after that prize has been awarded), it is decided that the prize will henceforward be increased to \$90. 3
- Show that the fund can only award the full prize for 14 more years.

- Q.1 C
Q.2 B
Q.3 B
Q.4 A
Q.5 C


Question 6

a) $\frac{4}{6} = \frac{5}{x}$
 $4x = 30$

$OC = \dots 7\frac{1}{2}$

b) $164.49 = 125(1+R)^7$
 $\frac{164.49}{125} = (1+R)^7$

$\therefore 1+R = \left(\frac{164.49}{125}\right)^{\frac{1}{7}}$
 $R = .03999867\dots$
 $\therefore R\% = \underline{4.00\%}$



i) $12^2 = (7+x)x$
 $144 = 7x + x^2$
 $x^2 + 7x - 144 = 0$
 $(x+16)(x-9) = 0$
 $\therefore x = 9, x > 0$

ii) $12^2 = BC^2 + OC^2$ (angle in semi circle 90°)
 $144 = BC^2 + 81$
 $BC = \sqrt{63} \text{ cm}$

Question 7

- i) 24, 29, 34, ...
ii) $T_8 = 24 + 7 \times 5$
 $T_8 = 59$

ii) $T_n > 150$


$24 + (n-1) \times 5 > 150$
 $24 + 5n - 5 > 150$
 $5n > 131$
 $n > 26.2$

\therefore Row 27 has more than 150 plants

iii) $S_n = 2895$

$2895 = \frac{n}{2} (48 + (n-1) \times 5)$
 $5790 = n(48 + 5n - 5)$
 $5790 = n(5n + 43)$
 $0 = 5n^2 + 43n - 5790$
 $n = \frac{-43 \pm \sqrt{43^2 - 4 \cdot 5 \cdot (-5790)}}{10}$

$n = 30, n \geq 0$
 \therefore 30 rows planted



$\hat{SQR} = 68^\circ$ (angles in same segment)
 $\hat{QSR} = 68^\circ$ (angles opposite equal sides in isosceles triangle)
 $x = 14^\circ$ (angle sum of $\triangle QSR$)

Question 8

a) i) Guess/Check $n=7$
 $R_7 = 1 - 2 \times 7 + 2^7$
 $R_7 = 115 \therefore 7^{\text{th}} \text{ term}$

ii) $R_n = \frac{(1-2n)}{A.P.} + \frac{2^n}{C.P.}$

A.P: $T_n = 1 - 2n$

$-1, -3, -5, \dots a = -1, d = -2$
 $S_{25} = \frac{25}{2} (-2 + 24 \times -2)$
 $= -625$


G.P: $T_n = 2^n$

$2, 4, 8, \dots a = 2, r = 2$
 $S_{25} = \frac{2(2^{25} - 1)}{2 - 1}$
 $= 67108862$

\therefore Total rain in first 25 min 67,108,237 drops


iii) $250m^2 = 2,500,000cm^2$

$\therefore \frac{67108237}{2500,000} \approx \underline{27 \text{ drops/cm}^2}$



$\hat{EAB} = x$ (alternate segment theorem)
 $\hat{ECD} = 2x$ (exterior angle of cyclic quad ABCD)
 \therefore Since $\hat{FEC} = \hat{DCE}$ and they are alternate then $CF \parallel DC$

Question 9



a) $x^2 = 8y$

$y = \frac{x^2}{8}$
 $\frac{dy}{dx} = \frac{2x}{8}$
 $\frac{dy}{dx} = \frac{x}{4}$

\therefore grad. of tangent at $P(4p, 2p^2)$
 $m_p = p$
eqn. of tangent at P
 $y - 2p^2 = p(x - 4p)$
 $y - 2p^2 = px - 4p^2$
 $y - px + 2p^2 = 0 \dots (1)$

eqn. tangent at O
 $y - qx + 2q^2 = 0 \dots (2)$

b) sim. eq. (1) and (2)
 $px - 2p^2 = qx - 2q^2$
 $px - qx = 2p^2 - 2q^2$
 $x(p - q) = 2(p - q)(p + q)$
 $x = 2(p + q)$
 $y = p \cdot 2(p + q) - 2p^2$
 $y = 2p^2 + 2pq - 2p^2$
 $y = 2pq$

$\therefore T(2(p+q), 2pq)$

c) chord PQ
 $m_{PQ} = \frac{2p^2 - 2q^2}{4p - 4q} = \frac{2(p - q)(p + q)}{4(p - q)}$

$m_{PQ} = \frac{p+q}{2}$
chord PQ: $y - 2p^2 = (p+q)(x - 4p)$
 $2y - 4p^2 = px - 4p^2 + xq - 4pq$
 $2y = x(p+q) - 4pq$

d) sub $A(0,1)$ into chord PQ

$$2 = -4pq$$

$$pq = -\frac{1}{2}$$

e) $m_{RT} = \frac{-2}{p+q}$ $T(2(p+q), 2pq)$

eqn of RT:

$$y - 2pq = \frac{-2}{p+q} (x - 2(p+q))$$

since $pq = -\frac{1}{2}$

$$y - 1 = \frac{-2}{p+q} x + 2$$

$$y = \frac{-2}{p+q} x + 3$$

b) Step ① Show true for $n=1$

$$LHS = 1 \cdot 2^1 = 2$$

$$RHS = (1-1)2^2 + 2 = 2$$

\therefore true for $n=1$

Step ② Assume true for $n=k$

some positive integer

$$\therefore S_k = (k-1)2^{k+1} + 2$$

Step ③ Show true for $n=k+1$

$$\text{ie } S_{k+1} = k \cdot 2^{k+2} + 2$$

since

$$S_{k+1} = S_k + T_{k+1}$$

$$= (k-1) \cdot 2^{k+1} + 2 + (k+1) \cdot 2^k$$

$$= 2^{k+1} (k-1 + k+1) + 2$$

$$= 2^{k+1} (2k) + 2$$

$$= k \cdot 2^{k+2} + 2$$

$$= k \cdot 2^{k+2} + 2$$

Step ④ Since true for $n=1$

and if assumed true for $n=k$

(a positive integer) we have

shown, by M.I., true for $n=k+1$

\therefore true for all positive integers

$n \geq 1$

Question 11

a) $T_n = S_n - S_{n-1}$

$$= \frac{n(n+1)(n+2)}{3} - \frac{(n-1)(n)(n+1)}{3}$$

$$= \frac{n(n+1)(n+2 - (n-1))}{3}$$

$$= \frac{n(n+1)(3)}{3}$$

$$T_n = n(n+1)$$

ii) $S_{\text{and 50 terms}} = S_{100} - S_{50}$

$$= \frac{100(101)(102)}{3} - \frac{50(51)(52)}{3}$$

$$= 299200$$

b) i) let B_n be amount in account after n payments

$$B_1 = 1000(1 + \frac{6}{100})^1 - 72 = \$988$$

ii) $B_2 = (1000(1.06)^1 - 72)(1.06)^1 - 72$
 $= 1000(1.06)^2 - (1.06)^1 72 - 72$

$$\therefore B_n = 1000(1.06)^n - (1.06)^{n-1} 72 - \dots - 72$$

$$= 1000(1.06)^n - 72(1 + (1.06)^1 + \dots + (1.06)^{n-1})$$

$$\left. \begin{array}{l} \text{A.P. } a=1 \\ r=1.06 \\ N=n \end{array} \right\}$$

$$\therefore B_n = 1000(1.06)^n - 72 \frac{(1.06^n - 1)}{1.06 - 1}$$

$$= 1000(1.06)^n - 1200(1.06^n - 1)$$

$$= 1000(1.06)^n - 1200(1.06)^n + 1200$$

$$\therefore B_n = 1200 - 200(1.06)^n$$

iii) After 10 years B_{10} is

$$1200 - 200(1.06)^{10} = \$41.83$$

prize now increases to \$90 from **

$$B_n = B_{10} + (1.06)^n - 90 \frac{(1.06^n - 1)}{0.06}$$

Fund used when $B_n = 0$

$$0 = 41.83(1.06)^n - 1500(1.06)^n + 1500$$

$$1500 = 658.17(1.06)^n$$

using logs

$$\log_{10} \left(\frac{1500}{658.17} \right) = n \log_{10} 1.06$$

$$\therefore n = \frac{\log_{10} \left(\frac{1500}{658.17} \right)}{\log_{10} (1.06)}$$

$$n = 14$$

or by direct subst.


$$1500 \div 658.17(1.06)^{14}$$

$$RHS = 14.8805$$

\therefore not enough for next price

of \$90

Question 10



$\hat{B}AD = x$ (alternate segment theorem)

$\hat{B}ED = 2x$ (angles in same segment)

$\hat{D}FE = 90^\circ$ (angle in semi circle is 90° and angles on a straight line)

$$\therefore \hat{B}FE = (x + 90^\circ)$$

$$\hat{B}CD = (90 - x)$$
 (angle sum of $90^\circ \Delta BCD$)

- angle in semi circle is 90°)

since $\hat{B}FE + \hat{B}CD = x + 90 + 90 - x = 180^\circ$

\therefore opposite angles add to 180°

\therefore $BCEF$ is a cyclic quad.